



ឯកទេសទឹកនោមផ្អែម និងបេះដូង

DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវG5 សង្កាត់ប្រែកលៀង ខណ្ឌបឹងកេងកង រាជធានីភ្នំពេញ
098-598-343 / 015-453-453 / 011-201-513 WWW.HDRCLINIC.COM

MEDICAL ANALYSIS LABORATORY

PHNOM PENH : 08-Mar-2026 8:47 am

Patient ID : 0353958

Specimen N° : 080326110

Patient Name: SOENG RANDY

Age : 65 years Sexe : F



HEMATOLOGY

WBC.....	: 7,700	/mm ³	(4,0 - 10)
RBC.....	: 4,550,000	/mm ³	(3,80 - 5,30)
Hemoglobin.....	: 13.1	g/100ml	(12.0 - 16,0)
Hematocrit.....	: 39.6	%	(38.0 - 47.0)
M.C.V.....	: 87.0	fl	(85.0 - 95.0)
M.C.H.....	: 23.88	pg	(27.0 - 33.0)
C.C.M.H.....	: 33.1	%	(32.0 - 36.0)
Plaquettes.....	: 256,000	/mm ³	(150 - 400)

DIFFERENTIAL COUNT

Polynucleaires neutrophiles.....	: 73	%	(45 - 70)
Polynucleaires eosinophiles.....	: 06	%	(≤ 3)
Polynucleaires basophiles.....	: 00	%	(≤ 1)
Lymphocytes.....	: 19	%	(20 - 40)
Monocytes.....	: 02	%	(2 - 7)

BIOCHEMESTRY

CHOLESTEROL TOTAL.....	: 135	mg/dl	(N: < 200)
CHOLESTEROL LDL.....	: 89	mg/dl	(N: < 130)
TRIGLYCERIDES.....	: 147	mg/dl	(N: < 200)
URIC ACID.....	: 4.5	mg/dl	(N: 2.5-6.0)
BUN.....	: 27	mg/dl	(N: 15 - 45)
CREATININE.....	: 0.9	mg/dl	(N: 0.6 -1.1)
ALBUMINE.....	: 4.4	g/dl	(N: 3.8 - 5.4)
Hb A1C (HPLC Method).....	: 5.2	%	(N: 4.2 -6.4)

Verified By

HENG SOKHON

Laboratory Technician

Ph. MEATH RAKSA



ឯកទេសទឹកនោមផ្អែម និងបេះដូង

DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវG5 សង្កាត់ប្រែកលៀង ខណ្ឌបឹងកេងកង រាជធានីភ្នំពេញ
098-598-343 / 015-453-453 / 011-201-513 WWW.HDRCLINIC.COM

MEDICAL ANALYSIS LABORATORY

PHNOM PENH : 08-Mar-2026 8:47 am

Patient ID : 0353958

Specimen N° : 080326110

Patient Name: SOENG RANDY

Age : 65 years Sexe : F



BLOOD ELECTROLYTE

SODIUM (Na+).....	: 141	mmol/L (N:135 - 145)
POTASSIUM (K+).....	: 3.5	mmol/L (N:3.5 - 5.0)
CHLORURES (Cl-).....	: 100	mmol/L (N:98 - 107)

HORMONOLOGY

TSH 3rd generation.....	: 1.592	μUI/mL (N: 0.30-4.50)
-------------------------	---------	------------------------

ENZYMOLGY

TRANSAMINASES SGOT (ASAT).....	: 40	UI/L (N: ≤ 31)
TRANSAMINASES SGPT (ALAT).....	: 38	UI/L (N: ≤ 31)

Verified By

HENG SOKHON

Laboratory Technician

Ph. MEATH RAKSA