



# ឯកទេសទឹកនោមផ្អែម និងបេះដូង

## DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវG5 សង្កាត់ប្រែកលៀង ខណ្ឌបឹងកេងកង រាជធានីភ្នំពេញ  
098-598-343 / 015-453-453 / 011-201-513 WWW.HDRCLINIC.COM

MEDICAL ANALYSIS LABORATORY

PHNOM PENH : 28-May-2026 9:08 am

Patient ID : 0523448

Specimen N° : 280526107

Patient Name: JI SEN

Age : 61 years      Sexe : M



### HEMATOLOGY

WBC.....	: 10,400	/mm <sup>3</sup>	( 4,0 - 10 )
RBC.....	: 4,830,000	/mm <sup>3</sup>	( 4,50 - 5,50 )
Hemoglobin.....	: 14.3	g/100ml	( 13.0 - 18.0 )
Hematocrit.....	: 42.3	%	( 40.0 - 54.0 )
M.C.V.....	: 87.6	fl	( 85.0 - 95.0 )
M.C.H.....	: 29.6	pg	( 27.0 - 33.0 )
C.C.M.H.....	: 33.8	%	( 32.0 - 36.0 )
Plaquettes.....	: 387,000	/mm <sup>3</sup>	( 150 - 400 )

### DIFFERENTIAL COUNT

Polynucleaires neutrophiles.....	: 64	%	( 45 - 70 )
Polynucleaires eosinophiles.....	: 03	%	( ≤ 3 )
Polynucleaires basophiles.....	: 00	%	( ≤ 1 )
Lymphocytes.....	: 31	%	( 20 - 40 )
Monocytes.....	: 02	%	( 2 - 7 )

### BIOCHEMESTRY

CHOLESTEROL TOTAL.....	: 161	mg/dl	( N: < 200 )
CHOLESTEROL LDL.....	: 79	mg/dl	( N: < 130 )
TRIGLYCERIDES.....	: 148	mg/dl	( N: < 200 )
CREATININE.....	: 0.8	mg/dl	( N: 0.6 -1.3 )
Hb A1C (HPLC Method).....	: 6.0	%	( N: 4.2 -6.4 )

### BLOOD ELECTROLYTE

SODIUM (Na+).....	: 144	mmol/L	( N:135 - 145 )
POTASSIUM (K+).....	: 3.9	mmol/L	( N:3.5 - 5.0 )
CHLORURES (Cl-).....	: 99	mmol/L	( N:98 - 107 )

Verified By

HENG SOKHON

Laboratory Technician

Ph. MEATH RAKSA



# ឯកទេសទឹកនោមផ្អែម និងបេះដូង

## DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវG5 សង្កាត់ប្រែកលៀង ខណ្ឌបឹងកេងកង រាជធានីភ្នំពេញ  
098-598-343 / 015-453-453/011-201-513 WWW.HDRCLINIC.COM

MEDICAL ANALYSIS LABORATORY

PHNOM PENH : 28-May-2026 9:08 am

Patient ID : 0523448

Specimen N° : 280526107

Patient Name: JI SEN

Age : 61 years Sexe : M



### HORMONOLOGY

CORTISOL ..... : 56.2 ng /mL

.....  
Normal Ranges  
.....

\*6:00 - 10:00AM : 45.5 - 208.2 ng/mL

\*4:00 - 8:00 PM : 25.2 - 124.5 ng/mL

### ENZYMOLOGY

TRANSAMINASES SGOT (ASAT) ..... : 21 UI/L ( N: ≤ 37 )

TRANSAMINASES SGPT (ALAT) ..... : 20 UI/L ( N: ≤ 40 )

Verified By

HENG SOKHON

Laboratory Technician

Ph. MEATH RAKSA