



# ឯកទេសទឹកនោមផ្អែម និងបេះដូង

## DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវG5 សង្កាត់ប្រែកលៀង ខណ្ឌបឹងកេងកង រាជធានីភ្នំពេញ  
098-598-343 / 015-453-453 / 011-201-513 WWW.HDRCLINIC.COM

MEDICAL ANALYSIS LABORATORY

PHNOM PENH : 12-Jun-2026 7:37 am

Patient ID : 0135690

Specimen N° : 120626102

Patient Name: LY CHANTHAI

Age : 56 years      Sexe : M



### HEMATOLOGY

WBC.....	: 9,800	/mm <sup>3</sup>	( 4,0 - 10 )
RBC.....	: 5,020,000	/mm <sup>3</sup>	( 4,50 - 5,50 )
Hemoglobin.....	: 14.8	g/100ml	( 13.0 - 18.0 )
Hematocrit.....	: 43.6	%	( 40.0 - 54.0 )
M.C.V.....	: 86.9	f1	( 85.0 - 95.0 )
M.C.H.....	: 29.5	pg	( 27.0 - 33.0 )
C.C.M.H.....	: 33.9	%	( 32.0 - 36.0 )
Plaquettes.....	: 241,000	/mm <sup>3</sup>	( 150 - 400 )

### DIFFERENTIAL COUNT

Polynucleaires neutrophiles.....	: 64	%	( 45 - 70 )
Polynucleaires eosinophiles.....	: 04	%	( ≤ 3 )
Polynucleaires basophiles.....	: 00	%	( ≤ 1 )
Lymphocytes.....	: 30	%	( 20 - 40 )
Monocytes.....	: 02	%	( 2 - 7 )

### ERYTHROCYTE SEDIMENTATION RATE

1 hour.....	: 22	mm	( < 20 )
-------------	------	----	----------

### BIOCHEMESTRY

CHOLESTEROL TOTAL.....	: 142	mg/dl	( N: < 200 )
CHOLESTEROL LDL.....	: 64	mg/dl	( N: < 130 )
TRIGLYCERIDES.....	: 256	mg/dl	( N: < 200 )
URIC ACID.....	: 6.9	mg/dl	( N: 3.0-7.0 )
CREATININE.....	: 0.9	mg/dl	( N: 0.6 -1.3 )
Hb A1C (HPLC Method).....	: 6.7	%	( N: 4.2 -6.4 )

Verified By

HENG SOKHON

Laboratory Technician

Yon Chhunleang



# ឯកទេសទឹកនោមផ្អែម និងបេះដូង

## DIABETES & CARDIOLOGY SPECIALIST

ផ្ទះលេខ១៨-២០ ផ្លូវG5 សង្កាត់ប្រែកលៀង ខណ្ឌបឹងកេងកង រាជធានីភ្នំពេញ  
098-598-343 / 015-453-453 / 011-201-513 WWW.HDRCLINIC.COM

MEDICAL ANALYSIS LABORATORY

PHNOM PENH : 12-Jun-2026 7:37 am

Patient ID : 0135690

Specimen N° : 120626102

Patient Name: LY CHANTHAI

Age : 56 years      Sexe : M



### BLOOD ELECTROLYTE

SODIUM (Na+) .....	: 141	mmol/L ( N:135 - 145 )
POTASSIUM (K+) .....	: 4.3	mmol/L ( N:3.5 - 5.0 )
CHLORURES (Cl-) .....	: 105	mmol/L ( N:98 - 107 )

### ENZYMOLOGY

TRANSAMINASES SGOT (ASAT) .....	: 37	UI/L ( N: ≤ 37 )
TRANSAMINASES SGPT (ALAT) .....	: 42	UI/L ( N: ≤ 40 )

Verified By

HENG SOKHON

Laboratory Technician

Yon Chhunleang